

## Management of Acute Respiratory Outbreaks in Residential Care

Current Guidelines (V3) April 2024	Updated Guidelines (V4) May 2025
Release from isolation - COVID-19	
It is strongly recommended that residents should isolate for at least 7 days and until symptoms resolve.	Release from isolation after 5 days (on day 6) since symptom onset provided that acute symptoms have resolved and COVID-19 RAT is negative <i>OR</i> After day 7 if acute symptoms resolved and no fever for 24 hours. No testing required.
Release from isolation for residents - Influenza	
Resident cases should isolate for 5 days after symptom onset, or until symptoms have ceased.	Released from isolation after 5 days (on day 6) from symptom onset, or until acute symptoms resolved, whichever is longer <i>OR</i> 72 hours after antivirals commenced regardless of symptoms. No testing required.
Staff return to work - COVID-19	
Return to work on day 6 following the symptom onset (or date of the first positive test if asymptomatic) and until the resolution of acute symptoms.	Return to work after day 6 since symptom onset (or positive test if asymptomatic) provided that acute symptoms have resolved and COVID-19 RAT is negative <i>OR</i> Return to work after day 8 if acute symptoms resolved for 24 hours, no testing required.
Staff return to work - Influenza	
Return to work on day 6 from symptom onset, or until symptoms have ceased.	Return to work on day 6 from symptom onset, or until acute symptoms resolved, whichever is longer OR 72 hours after antivirals commenced regardless of symptoms. No testing required.
Contact definition (COVID-19 only)	
Defined as a "close contact" and "social contact" depending on the level of contact with confirmed case	Defined as "resident contact" and "staff contact" depending on resident location or level of exposure with a case.
Testing Advice for contacts - COVID-19 Outbreak	
<ul> <li>2 options for managing contacts:</li> <li>1. choose not to self-quarantine with 5 RATs over 7 days.</li> <li>2. should self-quarantine for 7 days with a RAT on the first, third and sixth day of self-quarantine.</li> </ul>	<ul> <li>2 options for managing contacts:</li> <li>1. choose not to self-quarantine with RATs every second day over 7 days.</li> <li>2. choose to self-quarantine for 7 days with a RAT on the second and sixth day of self-quarantine.</li> </ul>
Outbreak closures of COVID-19, Influenza and all ARIs	
<ul> <li>COVID-19 Outbreaks declared over 7 days after the last case tests positive</li> <li>Influenza and ARI Outbreaks declared over 8 days after the last case tests positive</li> </ul>	All respiratory outbreaks can be declared over 7 days after the last case tests positive or the date of isolation of the last case in a resident, whichever is longer; or later at LPHU discretion.
Management of acute respiratory outbreaks, including COVID-19 and influenza, in residential care facilities V4 (1).pdf	